



9675 Peach Street • Waterford, PA 16441
Office: (814) 866-7511 • Office: (814) 679-4108 • Fax: (814) 679-4110 • Email: djd55@aol.com

PROPOSAL #2022 – 62

Date: August 19, 2022

To: ERIE COUTY VO-TECH SCHOOL (SKILL CENTER)
8500 OLIVER ROAD, ERIE PA 16509
ATTENTION: DEL VONVOLKENBURG dvonvolkenburg@ects.org
(814) 528-1563 CELL#

Project: REPLACE SEVEN DRINKING FOUNTAINS

WE PROPOSE hereby to furnish material and labor complete in accordance with specifications below, for the sum of:
FOURTEEN THOUSAND ONE HUNDRED TWENTY FIVE DOLLARS (\$14,125.00)

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from specifications below involving extra costs will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accidents or delays beyond our control. Dwyer Plumbing Inc. to carry general liability, worker's compensation, auto & business insurance and any other necessary insurance. Note: This proposal may be withdrawn if not accepted within 10 days.
ALL MATERIAL PRICES SUBJECT TO INCREASED COST AS MARKET CONDITIONS CHANGE DUE TO ECONOMY.

WE HERBY SUBMIT SPECIFICATIONS AND ESTIMATES FOR:

SKILL CENTER

REPLACE (7) DRINKING FOUNTAINS

ELKAY EZSDWSLK TYPE SINGLE ADA COOLER (SPEC ATTACHED – NEW UNITS)

**DEMO EXISTING UNITS
INSTALL NEW UNITS**

TOTAL - \$14,125.00

ACCEPTANCE OF PROPOSAL

The above prices, specifications and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified.
A service charge of 2.00% per month is added to past due accounts over 30 days.

Authorized Signature

Date of Acceptance


PRODUCT SPECIFICATIONS

Elkay ezH2O® Bottle Filling Station with Single ADA Cooler, Non-Filtered Non-Refrigerated Light Gray. Features shall include Antimicrobial, Green Ticker™, Hands Free, Laminar Flow, Real Drain. Furnished with Flexi-Guard® Safety Bubbler. Electronic Bottle Filler Sensor with Electronic Front and Side Bubbler Pushbar activation. Product shall be Wall Mount (On Wall), for Indoor applications, serving 1 station(s). Unit shall be certified to UL 399 and CAN/CSA C22.2 No. 120. Unit shall be lead-free design which is certified to NSF/ANSI 61 & 372 (lead free) and meets Federal and State low-lead requirements.

Special Features:	Antimicrobial, Green Ticker™, Hands Free, Laminar Flow, Real Drain
Finish:	Light Gray Granite
Power:	115V/60Hz
Bubbler Style:	Flexi-Guard® Safety Bubbler
Activation by:	Electronic Bottle Filler Sensor with Electronic Front and Side Bubbler Pushbar
Mounting Type:	Wall Mount (On Wall)
Chilling Capacity:	Non-refrigerated
Full Load Amps	1.1
Rated Watts:	15
Dimensions (L x W x H):	18-3/8" x 19" x 39-1/16"
Approx. Shipping Weight:	52 lbs.
Installation Location:	Indoor
No. of Stations Served:	1

Special Note: Non-filtered model

- Green Ticker: Informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real Drain System eliminates standing water.



Included with Product: Water Cooler (EZSDWSL), Bottle Filler (EZWSR)

▼ Ships in multiple boxes.

A Century of Tradition and Quality.

For more than 100 years, Elkay has been making innovative products and providing exceptional customer care. We take pride in offering plumbing products that make life easier, inspire change and leave the world a better place.



PRODUCT COMPLIANCE

ADA & ICC A117.1

ASME A112.19.3/CSA B45.4

Buy American Act

CAN/CSA C22.2 No. 120

GreenSpec®

NSF/ANSI 61 & 372 (lead free)

UL 399



Complies with ADA & ICC A117.1 accessibility requirements when installed according to the requirements outlined in these standards. Installation may require additional components and/or construction features to be fully compliant. Consult the local Authority Having Jurisdiction if necessary.

Installation Instructions (PDF) - 1000002207

Electrical components and water system are warranted for 12 months from date of installation. **Warranty pertains to drinking water applications only. Non-drinking water applications are not covered under warranty.**

Warranty (PDF)

PART: _____ QTY: _____

PROJECT: _____

CONTACT: _____

DATE: _____

NOTES: _____

APPROVAL: _____

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.

Optional Accessories		
<u>EWF3000</u>	Elkay WaterSentry Plus Filter System Kit (Bottle Fillers) Spec Sheet (PDF)	
<u>LKAPREZL</u>	Elkay Cane Apron for EZ Gray Spec Sheet (PDF)	
<u>MLP100</u>	In-wall Carrier for Single-station On-wall Bottle Fillers, Coolers & Fountains Spec Sheet (PDF)	

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.


IMPORTANT! INSTALLER PLEASE NOTE :

This water cooler has been designed and built to provide water to the user which has not been altered by materials in the cooler waterways. The grounding of electrical equipment such as telephone, computer, etc. to water lines is a common procedure. The grounding may be in the building but may also occur away from the building. This grounding can cause electrical feedback into a water cooler creating an electrolysis which creates a metallic taste or causes an increase in the metal content of the water. This condition is avoidable by installing the cooler using the proper materials as shown below.



NOTICE

This water cooler must be connected to the water supply using a dielectric coupling. The cooler is furnished with a non-metallic strainer which meets this requirement. The drain trap which is provided by the installer should also be plastic to completely isolate the cooler from the building plumbing system. Bottle filler unit on bracket attached to wall by 6 holes (as shown). Water and electrical will connect through pre-punched hole in basin. These products are designed to operate on 20 psi to 105 psi supply line pressure.

OPERATION OF QUICK CONNECT FITTINGS



Pushing tube in before pulling it out helps to release tube



LEGEND:

REDUCE HEIGHT BY 3 INCHES FOR INSTALLATION OF CHILDRENS ADA COOLER

- A = Recommended Water Supply location. Shut-off Valve (not furnished) to accept 3/8" O.D. unplated copper tube. Up to 3" (76mm) maximum out from wall.
- B = Recommended Waste Outlet location. To accommodate 1-1/4" nominal drain. Drain stub 2" (51mm) out from wall.
- C = 1-1/4" Trap (not furnished).
- D = Electrical Supply (3) Wire Recessed Box Duplex Outlet.
- E = Insure proper ventilation by maintaining 6" (152mm) minimum clearance from cabinet
- F = 7/16" (11mm) Bolt Holes for fastening to wall.

Note : New Installations Must Use Ground Fault Circuit Interrupter (GFCI). It is highly recommended that the circuit be dedicated and the load protection be sized for 20 amps.

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.



Comprehensive Mechanical Contracting

March 16, 2021

Erie County Technical School
8500 Oliver Road
Erie, Pa 16509

Attention: Jessica Garnica

Re: Drinking Fountains – Skill Center. 2)

We herewith submit proposal to furnish Labor, Material, Equipment, and Supervision to complete the above project. All work is to be performed during our normal hours of 7:00 am to 3:30 pm, Monday through Friday excluding weekends and holidays.

Notes and Comments: Replace seven existing drinking fountains. The sanitary sewer and waterlines will have to be modified to accommodate for the new units.

Proposal includes:

- Demo: dispose of old units.
- Rough in water and sewer to specifications of new units.
- Supply and install type L copper pipe and fittings. (Water lines.)
- Supply and install sch. 40 P.V.C pipe and fittings (Sanitary sewer.)
- Supply and install (7) Elkay Model LZS8SVRLK Drinking fountains / Bottle filler.
- Electrical. (Connect to existing power at unit.)

Proposal excludes:

- Overtime.
- Electrical by others.
- Any additional work will be based on time and material.

Total Project Cost \$ 16,228.00

Sincerely,

Lenny Wroblewski
Plumbing Supervisor/Estimator